

Pneumatic Quick Release Couplings

BE-14 Coupler



Interchange : Aro 210, Rectus 14, PCL Euro, Cejn 300

Part No.	Description	Price £
B1404M	1/4" BSPT Male	4.77
B1406M	3/8" BSPT Male	5.18
B1408M	1/2" BSPT Male	5.46
B1404F	1/4" BSPP Female	4.77
B1406F	3/8" BSPP Female	5.18
B1408F	1/2" BSPP Female	5.46
B1404H	1/4" (6) Hosetail	4.77
B1405H	5/16" (8) Hosetail	4.77
B1406H	3/8" (10) Hosetail	5.18
B1408H	1/2" (12) Hosetail	5.46

BE-14 Adaptor-Steel



Interchange : Aro 210, Rectus 14, PCL Euro, Cejn 301

Part No.	Description	Price £
B1404MP	1/4" BSPT Male	1.23
B1406MP	3/8" BSPT Male	1.23
B1408MP	1/2" BSPT Male	1.46
B1404FP	1/4" BSPP Female	1.23
B1406FP	3/8" BSPP Female	1.23
B1408FP	1/2" BSPP Female	1.46
B1404HP	1/4" (6) Hosetail	1.23
B1405HP	5/16" (8) Hosetail	1.23
B1406HP	3/8" (10) Hosetail	1.23
B1408HP	1/2" (12) Hosetail	1.23

BE-17 Airflow Coupling



PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Interchangeable: Schrader, Rectus 17, PCL PF and CEJN 317 - Single Action - Positive Lock - Nominal bore: 5.0mm

Part No.	Old Ref:	Description	Price £
B1704M	SCM04	1/4" BSPT Male	4.98
B1706M	SCM06	3/8" BSPT Male	5.40
B1708M	SCM08	1/2" BSPT Male	5.70
B1704F	SCF04	1/4" BSPP Female	4.98
B1706F	SCF06	3/8" BSPP Female	5.40
B1708F	SCF08	1/2" BSPP Female	5.70
B1704H	SCH04	1/4" (6mm) Hosetail	5.10
B1705H	SCH05	5/16" (8mm) Hosetail	5.10
B1706H	SCH06	3/8" (10mm) Hosetail	5.10
B1708H	SCH08	1/2" (12mm) Hosetail	5.10

Twist Couplings - Standard Duty



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Female, BSPT Male - Interchangeable With: Schrader Standard Couplings

Part No.	Old Reference	Description	Price £
B17T04F	OSCF04C	1/4" BSPP Female	8.66
B17T04M	OSCM04C	1/4" BSPT Male	8.66
B17T06M	OSCM06C	3/8" BSPT Male	8.70

Genuine Schrader



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Female, BSPT Male - Standard Coupling

Part No.	Old Reference	Description	Price £
9793D-12	OSCM04	1/4" BSPT Male	24.96
9792D-12	OSCM06	3/8" BSPT Male	24.96
8952DL-12	OSCF04	1/4" BSPP Female	24.27

Also see section 1 for full range of Schrader adaptors & couplers

BE-17 Adaptor



PNEUMATIC QUICK RELEASE COUPLINGS - Suitable for Schrader Light duty, Rectus17, PCL PF and CEJN 317 Coupler

Part No.	Old Reference	Description	Price £
B1702MP	SM02	1/8" BSPT Male	1.28
B1704MP	SM04	1/4" BSPT Male	1.28
B1706MP	SM06	3/8" BSPT Male	1.52
B1708MP	SM08	1/2" BSPT Male	1.52
B1702FP	SF02	1/8" BSPP Female	1.28
B1704FP	SF04	1/4" BSPP Female	1.28
B1706FP	SF06	3/8" BSPP Female	1.52
B1708FP	SF08	1/2" BSPP Female	1.52
B1704HP	SH04	1/4" (6mm) Hosetail	1.28
B1705HP	SH05	5/16" (8mm) Hosetail	1.28
B1706HP	SH06	3/8" (10mm) Hosetail	1.28
B1708HP	SH08	1/2" (12mm) Hosetail	2.39

BE-17 Safety Adaptor



Safe Disconnection, Hardened body, Corrosion resistant coating. Suitable for Rectus 17, PCLPF & CEJN 317 Coupler

Part No.	Description	Price £
B1704MPS	1/4" BSPT Male	2.07

Airflow Couplings



PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Used in fixed applications - Interchangeable: Rectus 19 & CEJN295 - Nominal Bore: 4.8mm - Max. Flow Rate: 43cfm@100psi - Max. Working Pressure: 200psi (14bar) - Temp. Range: -40°C to +100°C - Type: Single Action

Part No.	Old Ref:	Description (mm)	Price £
AC21CM	PCM04	1/4" BSPT Male	7.15
AC21EM	PCM06	3/8" BSPT Male	8.48
AC21JM	PCM08	1/2" BSPT Male	8.48
AC21CF	PCF04	1/4" BSPP Female	7.15
AC21EF	PCF06	3/8" BSPP Female	8.48
AC21JF	PCF08	1/2" BSPP Female	8.48
AC21R	PCH04	1/4" (6) Hosetail	8.48
AC21S	PCH05	5/16" (8) Hosetail	8.48
AC21T	PCH06	3/8" (10) Hosetail	8.48

Safety Couplings



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Non Scratch Coupling - No Prominent Metal Parts - Push Button Push/Pull Sleeve Action

Part No.	Old Ref.	Description (mm)	Price £
BSC061161	PCM04S	1/4" BSPP Male	19.63
BSC061162	PCM06S	3/8" BSPP Male	19.63
BSC061163	PCM08S	1/2" BSPP Male	21.03
BSC061101	PCF04S	1/4" BSPP Female	18.40
BSC061102	PCF06S	3/8" BSPP Female	18.80
BSC061103	PCF08S	1/2" BSPP Female	19.08
BSC061806	PCH04S	1/4" (6mm) Hosetail	19.63
BSC061808	PCH05S	5/16" (8mm) Hosetail	20.67
BSC061810	PCH06S	3/8" (10mm) Hosetail	19.63
BSC061813	PCH08S	1/2" (13mm) Hosetail	19.63

Vertex Airflow Couplings



PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Trailing Hose Application - Interchangeable: Rectus 19 & CEJN295 - Prevents Accidental Disconnection - Double action

Part No.	Old Ref:	Description (mm)	Price £
AC91CM	PCMV04	1/4" BSPT Male	7.15
AC91EM	PCMV06	3/8" BSPT Male	8.48
AC91JM	PCMV08	1/2" BSPT Male	8.48
AC91CF	PCFV04	1/4" BSPP Female	7.15
AC91EF	PCFV06	3/8" BSPP Female	8.48
AC91JF	PCFV08	1/2" BSPP Female	8.48
AC91R	PCHV04	1/4" (6) Hosetail	8.48
AC91S	PCHV05	5/16" (8) Hosetail	8.48
AC91T	PCHV06	3/8" (10) Hosetail	8.48

BE-19 Safety Adaptor



Suitable for all BE-19, PCL, Prevost and Oetiker Couplers, Safe Disconnection, Hardened body, Corrosion resistant coating

Part No.	Description	Price £
B1904MPS	1/4" BSPT Male	1.98

SC Series P



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Safety Swing Coupling - Compatible With: PCL, Rectus 19 - Full Flow - Negligible Loss Of Pressure Vents The Down Stream Air Before Disconnection

Part No.	Old Ref.	Description	Price £
20500434	PCM04SAP	1/4" BSPP Male	20.04
20500441	PCM06SAP	3/8" BSPP Male	20.04
20500442	PCM08SAP	1/2" BSPP Male	20.04
20500438	PCF04SAP	1/4" BSPP Female	20.04
20500439	PCF06SAP	3/8" BSPP Female	20.04
20500440	PCF08SAP	1/2" BSPP Female	20.04
20500443	PCH04SAP	1/4" Hosetail	20.04
20500444	PCH05SAP	5/16" Hosetail	20.04
20500445	PCH06SAP	3/8" Hosetail	20.04

BE19 Adaptor



PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Suitable for all BE19, PCL, Prevost and Oetiker Couplers

Part No.	Old Ref:	Description (mm)	Price £
B1902MP	PM02	1/8" BSPT Male	0.76
B1904MP	PM04	1/4" BSPT Male	0.62
B1906MP	PM06	3/8" BSPT Male	0.96
B1908MP	PM08	1/2" BSPT Male	1.28
B1902FP	PF02	1/8" BSPP Female	0.76
B1904FP	PF04	1/4" BSPP Female	0.62
B1906FP	PF06	3/8" BSPP Female	0.96
B1908FP	PF08	1/2" BSPP Female	1.20
B1903HP	PH03	3/16" Hosetail	0.65
B1904HP	PH04	1/4" (6) Hosetail	0.65
B1905HP	PH05	5/16" (8) Hosetail	0.65
B1906HP	PH06	3/8" (10) Hosetail	0.65
B1908HP	PH08	1/2" (12) Hosetail	1.25

Safety - Push Button Coupler



Interchange: PCL Standard, Rectus 19 CEJN295, Single Action, Positive Lock, Nominal bore 5mm, Working pressure-14 bar

Part No.	Description (mm)	Price £
B1904MS	1/4" BSPT Male	8.15
B1906MS	3/8" BSPT Male	8.15
B1908MS	1/2" BSPT Male	8.15
B1904FS	1/4" BSPP Female	8.15
B1906FS	3/8" BSPP Female	8.15
B1908FS	1/2" BSPP Female	8.15

BE19 Couplings



Interchange: PCL Standard, Rectus 19 CEJN295, Single Action, Positive Lock, Nominal bore 5mm, Working pressure-14 bar

Part No.	Description (mm)	Price £
B1904M	1/4" BSPT Male	4.98
B1906M	3/8" BSPT Male	5.40
B1908M	1/2" BSPT Male	5.40
B1904F	1/4" BSPP Female	4.98
B1906F	3/8" BSPP Female	5.40
B1908F	1/2" BSPP Female	5.70
B1904H	1/4" (6) Hosetail	5.10
B1905H	5/16" (8) Hosetail	5.10
B1906H	3/8" (10) Hosetail	5.10
B1908H	1/2" (12) Hosetail	5.10

BE19 Slim Coupling



Interchange: PCL Standard, Rectus 19 CEJN295, Single Action, Positive Lock, Nominal bore 5mm, Working pressure-14 bar

Part No.	Description (mm)	Price £
B1904MV	1/4" BSPT Male	4.98
B1906MV	3/8" BSPT Male	5.40
B1908MV	1/2" BSPT Male	5.70
B1904FV	1/4" BSPP Female	4.98
B1906FV	3/8" BSPP Female	5.40
B1908FV	1/2" BSPP Female	5.70
B1904HV	1/4" (6) Hosetail	5.10
B1905HV	5/16" (8) Hosetail	5.10
B1906HV	3/8" (10) Hosetail	5.10
B1908HV	1/2" (12) Hosetail	5.10



For a wide selection of
Pressure Gauges
see **Section 23**



BE-21 Mini Couplings



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchangeable With: Rectus 21, Camozzi, PCL Mini, Norgren 233, CEJN50

Part No.	Old Ref:	Description	Price £
B2102M	PCM0221	1/8" BSPP Male	3.60
B2104M	PCM0421	1/4" BSPP Male	3.60
B2102F	PCF0221	1/8" BSPP Female	3.60
B2104F	PCF0421	1/4" BSPP Female	4.20
B2104H	PCH0421	6mm Hosetail	4.20
B2105H	PCH0521	9mm Hosetail	4.20
B2106H	PCH0621	3/8" (10mm) Hosetail	4.20

BE-21 Quick Fit



PNEUMATIC QUICK RELEASE COUPLINGS - Quick Fit Tube Connection - Mini Couplers

Part No.	Tube O/D & I/D (mm)	Price £
B2106Q	6 x 4	7.34
B2108Q	8 x 6	7.34

BE-21 Panel Mount



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male- Mini Couplers

Part No.	Description	Price £
B2102BH	1/8" BSPP Male	9.38
B2104BH	1/4" BSPP Male	9.38

BE-21 Panel Mount Quick Fit



PNEUMATIC QUICK RELEASE COUPLINGS - Tube Connection Mini Couplers

Part No.	Tube O/D & I/D (mm)	Price £
B2106QBH	6 x 4	11.86
B2108QBH	8 x 6	11.86

BE-21 Mini Adaptors



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Suitable for Rectus 21, Camozzi, PCL Mini, Norgren 233 Coupler

Part No.	Old Ref:	Description	Price £
B2102MP	PM0221	1/8" BSPP Male	1.25
B2104MP	PM0421	1/4" BSPP Male	1.25
B2102FP	PF0221	1/8" BSPP Female	1.25
B2104FP	PF0421	1/4" BSPP Female	1.32
B2103HP	-	3/16" (5mm) Hosetail	1.32
B2104HP	PH0421	1/4" (6mm) Hosetail	1.35
B2105HP	PH0521	9mm Hosetail	1.35
B2106HP	-	3/8" (10mm) Hosetail	1.55

BE-21 Mini Adaptors



PNEUMATIC QUICK RELEASE COUPLINGS - Quick Fit Tube Connection

Part No.	Tube O/D & I/D (mm)	Price £
B2106QP	6 x 4	1.93
B2108QP	8 x 6	1.93

BE-23 ISO Coupling



PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Interchangeable With: ISO 6150-B12, CEJN 310, Rectus 23 & 24, Parker, Dynaquip DC3, Hanson 3000, US-MIL C4109 PCL ISOB-12, JW 571

Part No.	Description (mm)	Price £
B2304M	1/4" BSPT Male	4.98
B2306M	3/8" BSPT Male	5.40
B2308M	1/2" BSPT Male	5.70
B2304F	1/4" BSPP Female	4.98
B2306F	3/8" BSPP Female	5.40
B2308F	1/2" BSPP Female	5.70
B2304H	1/4" (6) Hosetail	5.10
B2305H	5/16" (8) Hosetail	5.10
B2306H	3/8" (10) Hosetail	5.10
B2308H	1/2" (12) Hosetail	5.10

Safety ISO Coupling-Prevost



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchangeable With: CEJN 310, Rectus 23 & 24, Parker, ISO 6150-B12, Dynaquip DC3, Hanson 3000, US-MIL C4109, Ingersoll-Rand 7S7 - Full Zero Pressure Disconnection - Just push the sleeve back to de-pressurise the down stream hose and make it safe, pull the sleeve forward to release the plug

Part No.	Old Reference	Description	Price £
ISG061101VALB	ECF0423S	1/4" BSPP Female	19.36
ISG061102VALB	ECF0623S	3/8" BSPP Female	19.36
ISG061103VALB	ECF0823S	1/2" BSPP Female	19.66
ISG061151VALB	ECM0423S	1/4" BSPP Male	19.36
ISG061152VALB	ECM0623S	3/8" BSPP Male	19.36
ISG061153VALB	ECM0823S	1/2" BSPP Male	19.36
ISG061806VALB	ECH0423S	1/4" (6mm) Hosetail	19.36
ISG061808VALB	ECH0523S	5/16" (8mm) Hosetail	19.36
ISG061810VALB	ECH0623S	3/8" (10mm) Hosetail	19.36

Legris C9000 Safety Couplings



PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Interchangeable With: ISO 6150-B12, Rectus 23 & 24 CEJN 310

Part No.	Old Reference	Description	Price £
9405U0613	ECM0423SLEG	1/4" BSPT Male	23.85
9405U0617	ECM0623SLEG	3/8" BSPT Male	23.85
9405U0621	ECM0823SLEG	1/2" BSPT Male	24.09
9414U0613	ECF0423SLEG	1/4" BSPP Female	20.43
9414U0617	ECF0623SLEG	3/8" BSPP Female	20.43
9414U0621	ECF0823SLEG	1/2" BSPP Female	25.15
9421U0606	ECH0423SLEG	1/4" (6mm) Hosetail	22.46
9421U0608	ECH0523SLEG	5/16" (8mm) Hosetail	22.46
9421U0610	ECH0623SLEG	3/8" (10mm) Hosetail	22.46

BE-23 ISO Adaptor



PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Suitable for ISO 6150-B12, CEJN 310, Rectus 23 & 24, Parker, Dynaquip DC3, Hanson 3000, US-MIL C4109

Part No.	Description (mm)	Price £
B2302MP	1/8" BSPT Male	1.28
B2304MP	1/4" BSPT Male	1.28
B2306MP	3/8" BSPT Male	1.52
B2308MP	1/2" BSPT Male	1.52
B2302FP	1/8" BSPP Female	1.28
B2304FP	1/4" BSPP Female	1.28
B2306FP	3/8" BSPP Female	1.52
B2308FP	1/2" BSPP Female	1.52
B2304HP	1/4" (6) Hosetail	1.28
B2305HP	5/16" (8) Hosetail	1.28
B2306HP	3/8" (10) Hosetail	1.28
B2308HP	1/2" (12) Hosetail	1.52

BE-25 Euro High Flow Couplings



PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Interchangeable: CEJN 320, Rectus Series 25 & 26, Parker35 and PCL XF

Part No.	Description	Price £
B2504M	1/4" BSPT Male	4.98
B2506M	3/8" BSPT Male	5.40
B2508M	1/2" BSPT Male	5.70
B2504F	1/4" BSPP Female	4.98
B2506F	3/8" BSPP Female	5.40
B2508F	1/2" BSPP Female	5.70
B2504H	1/4" (6mm) Hosetail	5.10
B2505H	5/16" (8mm) Hosetail	5.10
B2506H	3/8" (10mm) Hosetail	5.10
B2508H	1/2" (12mm) Hosetail	5.10

Swing Couplings SC Series B1



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchangeable With: CEJN 310, Rectus 23, ISO6150-B12

Part No.	Old Reference	Description	Price £
20500307	ECF0423SAB1	1/4" BSPP Female	20.04
20500308	ECF0623SAB1	3/8" BSPP Female	20.04
20500309	ECF0823SAB1	1/2" BSPP Female	20.04
20500314	ECM0423SAB1	1/4" BSPP Male	20.04
20500315	ECM0623SAB1	3/8" BSPP Male	20.04
20500316	ECM0823SAB1	1/2" BSPP Male	20.04
20500320	ECH0423SAB1	1/4" (6) Hosetail	20.04
20500321	ECH0523SAB1	5/16" (8) Hosetail	20.04
20500322	ECH0623SAB1	3/8" (10) Hosetail	20.04

BE-23 Safety Adaptor



Safe Disconnection, Hardened body, Corrosion resistant coating. Suitable for ISO6150-B12, CEJN 310 & Rectus 23224

Part No.	Description	Price £
B2304MPS	1/4" BSPT Male	1.98

Euro Profile Safety Coupling



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchangeable With: CEJN 320, Rectus 25 & 26

Part No.	Old Reference	Description	Price £
9401E0713	ECM04SLEG	1/4" BSPP Male	29.41
9401E0717	ECM06SLEG	3/8" BSPP Male	29.41
9401E0721	ECM08SLEG	1/2" BSPP Male	29.02
9414E0713	ECF04SLEG	1/4" BSPP Female	25.85
9414E0717	ECF06SLEG	3/8" BSPP Female	25.85
9414E0721	ECF08SLEG	1/2" BSPP Female	28.70
9421E0708	ECH05SLEG	5/16" Hosetail	25.72
9421E0710	ECH06SLEG	3/8" Hosetail	25.72
9421E0713	ECH08SLEG	1/2" Hosetail	25.72

Can't find the coupler you want?

We have access to many ranges, please call sales with your requirement



Safety Couplings-Prevost



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchangeable With: CEJN 320, Rectus 25 & 26, Parker 35, PCL XF and Ingersoll-Rand 757 Series - Full Zero Pressure Disconnection - Temperature Range: -20°C to +100°C - Just push the sleeve back to de-pressurise the down stream hose and make it safe, pull the sleeve forward to release the plug

Part No.	Old Reference	Description	Price £
ESG071101VAL	ECF04S	1/4" BSPP Female	18.30
ESG071102VAL	ECF06S	3/8" BSPP Female	18.30
ESG071103VAL	ECF08S	1/2" BSPP Female	18.30
ESG071151VAL	ECM04S	1/4" BSPP Male	18.30
ESG071152VAL	ECM06S	3/8" BSPP Male	18.30
ESG071153VAL	ECM08S	1/2" BSPP Male	18.30
ESG071806VAL	ECH04S	1/4" (6mm) Hosetail	18.30
ESG071808VAL	ECH05S	5/16" (8mm) Hosetail	18.30
ESG071810VAL	ECH06S	3/8" (10mm) Hosetail	18.30

BE-25 Adaptors



PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Suitable for CEJN 320, Rectus Series 25 & 26, Parker 35 and PCL XF Coupler

Part No.	Old Reference	Description	Price £
B2502MP	CM02	1/8" BSPT Male	1.02
B2504MP	CM04	1/4" BSPT Male	1.07
B2506MP	CM06	3/8" BSPT Male	1.07
B2508MP	CM08	1/2" BSPT Male	1.27
B2502FP	CF02	1/8" BSPP Female	1.07
B2504FP	CF04	1/4" BSPP Female	1.07
B2506FP	CF06	3/8" BSPP Female	1.07
B2508FP	CF08	1/2" BSPP Female	1.27
B2504HP	CH04	1/4" (6mm) Hosetail	1.07
B2505HP	CH05	5/16" (8mm) Hosetail	1.07
B2506HP	CH06	3/8" (10mm) Hosetail	1.07
B2508HP	CH08	1/2" (12mm) Hosetail	1.07

BE25B-Brass Euro Couplings



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchangeable With: CEJN 320, Festo KD Series, Rectus 25 & 26

Part No.	Old Reference	Description	Price £
B25B02M	ECM02B	1/8" BSPP Male	4.98
B25B04M	ECM04B	1/4" BSPP Male	4.98
B25B06M	ECM06B	3/8" BSPP Male	5.40
B25B08M	ECM08B	1/2" BSPP Male	5.70
B25B04F	ECF04B	1/4" BSPP Female	4.98
B25B06F	ECF06B	3/8" BSPP Female	5.40
B25B08F	ECF08B	1/2" BSPP Female	5.70
B25B04H	ECH04B	1/4" (6mm) Hosetail	5.10
B25B05H	ECH05B	5/16" (8mm) Hosetail	5.10
B25B06H	ECH06B	3/8" (10mm) Hosetail	5.10
B25B08H	ECH08B	1/2" (13mm) Hosetail	5.10

Swing Coupling SC Series C



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchangeable: CEJN 320, PCL XL, Rectus 25 & 26 Series

Part No.	Old Reference	Description	Price £
20500345	ECF04SAC	1/4" BSPP Female	21.31
20500346	ECF06SAC	3/8" BSPP Female	21.31
20500347	ECF08SAC	1/2" BSPP Female	21.31
20500351	ECM04SAC	1/4" BSPP Male	21.31
20500352	ECM06SAC	3/8" BSPP Male	21.31
20500353	ECM08SAC	1/2" BSPP Male	21.31
20500356	ECH05SAC	5/16" Hosetail	21.31
20500357	ECH06SAC	3/8" Hosetail	21.31
20500358	ECH08SAC	1/2" Hosetail	21.31

BE-25 Safety Adaptor



Suitable for CEJN 320, Rectus Series 25 & 26, Parker 35 and PCL XF Coupler, Safe Disconnection, Hardened body, Corrosion resistant coating

Part No.	Description	Price £
B2506MPS	3/8" BSPT Male	1.98

BE-25-Brass Adaptors



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail

Part No.	Old Reference	Description	Price £
B25B02MP	CM02B	1/8" BSPP Male	1.62
B25B04MP	CM04B	1/4" BSPP Male	1.62
B25B06MP	CM06B	3/8" BSPP Male	1.69
B25B08MP	CM08B	1/2" BSPP Male	2.69
B25B02FP	CF02B	1/8" BSPP Female	1.62
B25B04FP	CF04B	1/4" BSPP Female	1.62
B25B06FP	CF06B	3/8" BSPP Female	1.69
B25B08FP	CF08B	1/2" BSPP Female	2.81
B25B04HP	CH04B	1/4" 6mm Hosetail	1.12
B25B05HP	CH05B	5/16" 8mm Hosetail	1.19
B25B06HP	CH06B	3/8" 10mm Hosetail	1.38
B25B08HP	CH08B	1/2" 12mm Hosetail	1.62



See Section 11 For

Malleable Iron Fittings



BE-27 High Flow Coupling

PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Heavy Duty - Interchangeable With: CEJN 410, Rectus 27, Parker 55, PCL ZF - Nominal Bore: 10.5mm

Part No.	Description (mm)	Price £
B2706M	3/8" BSPT Male	9.89
B2708M	1/2" BSPT Male	9.89
B2706F	3/8" BSPP Female	9.89
B2708F	1/2" BSPP Female	9.89
B2706H	3/8" (10) Hosetail	9.89
B2708H	1/2" (12) Hosetail	9.89

BE-27 High Flow Adaptor

PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Heavy Duty

Part No.	Description (mm)	Price £
B2704MP	1/4" BSPT Male	1.33
B2706MP	3/8" BSPT Male	1.72
B2708MP	1/2" BSPT Male	2.58
B2704FP	1/4" BSPP Female	1.68
B2706FP	3/8" BSPP Female	2.19
B2708FP	1/2" BSPP Female	3.08
B2704HP	1/4" (6) Hosetail	1.36
B2705HP	5/16" (8) Hosetail	1.33
B2706HP	3/8" (10) Hosetail	1.50
B2708HP	1/2" (12) Hosetail	1.83
B2710HP	5/8" (16mm) Hosetail	1.79
B2712HP	3/4" (19mm) Hosetail	2.14

BE-60 Coupler

Interchange : PCL 60 Series, Rectus 60 Airline

Part No.	Description	Price £
B6004M	1/4" BSPT Male	8.75
B6006M	3/8" BSPT Male	8.75
B6008M	1/2" BSPT Male	8.75
B6004F	1/4" BSPP Female	8.75
B6006F	3/8" BSPP Female	8.75
B6008F	1/2" BSPP Female	8.75

BE-60 Adaptor

BE-60 Adaptor

Part No.	Description	Price £
B6004MP	1/4" BSPT Male	2.95
B6006MP	3/8" BSPT Male	2.95
B6004FP	1/4" BSPP Female	2.95
B6006FP	3/8" BSPP Female	2.95
B6005HP	5/16" (8) Hosetail	2.95
B6006HP	3/8" (10) Hosetail	2.95
B6008HP	1/2" (12) Hosetail	2.95

BE-60 Safety Adaptor

BE-60 Safety Adaptor

Part No.	Description	Price £
B6006MPS	3/8" BSPT Male	3.98

Genuine Schrader Heavy Duty Couplings

PNEUMATIC QUICK RELEASE COUPLINGS

Part No.	Old Reference	Description	Price £
1054EL-12	OSCF04H	1/4" BSPP Female	43.56
1095EL-12	OSCF06H	3/8" BSPP Female	44.25
1461EL-12	OSCF08H	1/2" BSPP Female	44.25

Also see section 1 for the full range of Schrader couplers and adaptors

BE68-Heavy Duty Couplings

PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchangeable: Schrader Heavy Duty, Rectus 68

Part No.	Old Reference	Description	Price £
B6806M	SCM06H	3/8" BSPP Male	29.60
B6808M	SCM08H	1/2" BSPP Male	26.60
B6812M	SCM12H	3/4" BSPP Male	33.32
B6804F	SCF04H	1/4" BSPP Female	28.66
B6806F	SCF06H	3/8" BSPP Female	43.21
B6808F	SCF08H	1/2" BSPP Female	30.44
B6812F	SCF12H	3/4" BSPP Female	33.32
B6806H	SCH06H	3/8" (10mm) Hosetail	42.88
B6808H	SCH08H	1/2" (12mm) Hosetail	33.57
B6812H	SCH12H	3/4" (19mm) Hosetail	33.57

BE 68 Twist Type Heavy Duty Adaptor in Steel

PNEUMATIC QUICK RELEASE COUPLINGS - BSPT Male, BSPP Female & Hosetail - Interchangeable With: Schrader Heavy Duty, Rectus 68 Coupler

Part No.	Old Reference	Description	Price £
B6804MP	SM04H	1/4" BSPT Male	1.82
B6806MP	SM06H	3/8" BSPT Male	1.82
B6808MP	SM08H	1/2" BSPT Male	1.82
B6812MP	SM12H	3/4" BSPT Male	2.42
B6804FP	SF04H	1/4" BSPP Female	1.82
B6806FP	SF06H	3/8" BSPP Female	1.82
B6808FP	SF08H	1/2" BSPP Female	1.82
B6806HP	SH06H	3/8" (10mm) Hosetail	1.82
B6808HP	SH08H	1/2" (12mm) Hosetail	1.82
B6812HP	SH12H	3/4" (19mm) Hosetail	1.82

BE-100 Coupler



Interchange : PCL 100 Series, Rectus 100 Airline

Part No.	Description	Price £
B10006M	3/8" BSPT Male	8.95
B10008M	1/2" BSPT Male	8.95
B10006F	3/8" BSPP Female	8.95
B10008F	1/2" BSPP Female	8.95

BE-100 Adaptor



Interchange : PCL 100 Series, Rectus 100 Airline

Part No.	Description	Price £
B10006MP	3/8" BSPT Male	2.75
B10008MP	1/2" BSPT Male	2.75
B10006FP	3/8" BSPP Female	2.75
B10006HP	3/8" (10) Hosetail	2.75
B10008HP	1/2" (12) Hosetail	2.75

BE-100 Safety Adaptor



Interchange : PCL 100 Series, Rectus 100 Airline

Part No.	Description	Price £
B10008MPS	1/2" BSPT Male	3.98

Twist-Air Coupling



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchange: PCL/ Broomwade

Part No.	Description	Price £
PCMI04C	1/4" BSPP Male	6.77
PCMI06C	3/8" BSPP Male	6.77
PCFI04C	1/4" BSPP Female	6.77
PCFI06C	3/8" BSPP Female	6.77
PCHI04C	1/4" (6mm) Hosetail	7.71
PCHI05C	5/16" (8mm) Hosetail	7.71
PCHI06C	3/8" (10mm) Hosetail	7.71

Fixed Twist Adaptor



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchange: PCL/ Broomwade

Part No.	Description	Price £
PMI04C	1/4" BSPP Male	3.86
PMI06C	3/8" BSPP Male	3.86
PFI04C	1/4" BSPP Female	3.86
PFI06C	3/8" BSPP Female	3.86
PHI04C	1/4" (6mm) Hosetail	4.45
PHI05C	5/16" (8mm) Hosetail	4.45
PHI06C	3/8" (10mm) Hosetail	4.45

Swivel Twist Adaptor



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male, BSPP Female & Hosetail - Interchange: PCL/ Broomwade

Part No.	Description	Price £
PMIS04C	1/4" BSPP Male	5.81
PMIS06C	3/8" BSPP Male	5.81
PFIS04C	1/4" BSPP Female	5.81
PFIS06C	3/8" BSPP Female	5.81
PHIS04C	1/4" (6mm) Hosetail	6.72
PHIS05C	5/16" (8mm) Hosetail	6.72
PHIS06C	3/8" (10mm) Hosetail	6.72

Water Coupling - Steel



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Female Non Valve - Interchangeable With: Tema 3800

Part No.	Description	Price £
WCF06	3/8" BSPP Female	11.14

Water Adaptor - Steel



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Female Non Valve - Interchangeable With: Tema 3800

Part No.	Description	Price £
WFO06	3/8" BSPP Female	2.95

Flexible Connector



PNEUMATIC QUICK RELEASE COUPLINGS - BSPP Male x BSPP Female

Part No.	Description	Price £
FC04	1/4" BSPP Male X 1/4" BSPP Female	9.75

Aluminium Swivel Connector



PNEUMATIC QUICK RELEASE COUPLINGS

Part No.	Description	Price £
FS04	1/4" BSPT Male X 1/4" BSP Female	4.64

Mould Couplings - 200 Series

Non-Valved Straight Socket



Mould Couplings 200 Series - BSPP Female & Hosetail - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate - Plug diameter 0.368" = 9.35m

Part No.	Description.	Price £
MCH04200	1/4" Hosetail	5.63
MCH05200	5/16" Hosetail	9.86
MCH06200	3/8" Hosetail	5.75
MCF04200	1/4" BSPP Female	9.00

45° Valved Socket



Mould Couplings 200 Series - Hosetail - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate - Plug diameter 0.368" = 9.35m

Part No.	Description.	Price £
MCHV0445200	1/4" Hosetail	16.12
MCHV0545200	5/16" Hosetail	31.25
MCHV0645200	3/8" Hosetail	11.19

Male Plug



Mould Couplings 200 Series - BSPT Male - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate - Plug diameter 0.368" = 9.35m

Part No.	Description.	Price £
MA02200	1/8" BSPT Male	0.98
MA04200	1/4" BSPT Male	1.10
MA06200	3/8" BSPT Male	1.61

Valved Straight Socket



Mould Couplings 200 Series - BSPP Female & Hosetail - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate - Plug diameter 0.368" = 9.35m

Part No.	Description.	Price £
MCHV04200	1/4" Hosetail	11.85
MCHV05200	5/16" Hosetail	14.25
MCHV06200	3/8" Hosetail	10.50
MCFV04200	1/4" BSPP Female	12.80

90° Non-Valved Socket



Mould Couplings 200 Series - Hosetail - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate - Plug diameter 0.368" = 9.35m

Part No.	Description.	Price £
MCH0490200	1/4" Hosetail	11.75
MCH0590200	5/16" Hosetail	13.88
MCH0690200	3/8" Hosetail	7.91

Female Plug



Mould Couplings 200 Series - BSPP Female - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate - Plug diameter 0.368" = 9.35m

Part No.	Description.	Price £
MF02200	1/8" BSPP Female	1.20
MF04200	1/4" BSPP Female	1.20
MF06200	3/8" BSPP Female	1.99

45° Non-Valved Socket



Mould Couplings 200 Series - Hosetail - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate - Plug diameter 0.368" = 9.35m

Part No.	Description.	Price £
MCH0445200	1/4" Hosetail	12.02
MCH0545200	5/16" Hosetail	13.34
MCH0645200	3/8" Hosetail	8.00

90° Valved Socket



Mould Couplings 200 Series - Hosetail - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate - Plug diameter 0.368" = 9.35m

Part No.	Description.	Price £
MCHV0490200	1/4" Hosetail	14.95
MCHV0590200	5/16" Hosetail	26.25
MCHV0690200	3/8" Hosetail	10.79

Blanking Plug



Mould Couplings 200 Series - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate - Plug diameter 0.368" = 9.35m

Part No.	Description.	Price £
BP200	200 series plug	1.06

Hosetail Plug



Mould Couplings 200 Series - Hosetail - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate - Plug diameter 0.368" = 9.35mm

Part No.	Description.	Price £
MH04200	1/4" Hosetail	1.30
MH05200	5/16" Hosetail	1.30
MH06200	3/8" Hosetail	1.30
MH08200	1/2" Hosetail	1.75

Mseal 200



Mould Couplings 200 Series - Interchangeable With: Rectus 86, DME, Foster FJT, Parker Mouldmate

Part No.	Description.	Price £
MSEAL200	Silicone Coupler seal	0.85

Mould Couplings - 300 Series

Non-Valved Straight Socket



Mould Couplings 300 Series - BSPP Female & Hosetail - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
MCH06300	3/8" Hosetail	9.81
MCH08300	1/2" Hosetail	9.81
MCF04300	1/4" BSPP Female	9.45

45° Non-Valved Socket



Mould Couplings 300 Series - Hosetail - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
MCH0645300	3/8" Hosetail	22.25
MCH0845300	1/2" Hosetail	22.25

90° Non-Valved Socket



Mould Couplings 300 Series - Hosetail - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
MCH0690300	3/8" Hosetail	22.20
MCH0890300	1/2" Hosetail	13.10

Valved Straight Socket



Mould Couplings 300 Series - BSPP Female & Hosetail - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
MCHV06300	3/8" Hosetail	19.95
MCHV08300	1/2" Hosetail	14.45
MCFV04300	1/4" BSPP Female	19.75

45° Valved Socket



Mould Couplings 300 Series - Hosetail - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
MCHV0645300	3/8" Hosetail	27.98
MCHV0845300	1/2" Hosetail	23.20

90° Valved Socket



Mould Couplings 300 Series - Hosetail - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
MCHV0690300	3/8" Hosetail	17.41
MCHV0890300	1/2" Hosetail	17.00

Valved Shut Off Plug



Mould Couplings 300 Series - BSPT Male - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
MAV06300	3/8" BSPT Male	9.11
MAV08300	1/2" BSPT Male	14.95

Female Plug



Mould Couplings 300 Series - BSPP Female - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
MF02300	1/8" BSPP Female	1.59
MF04300	1/4" BSPP Female	1.42
MF06300	3/8" BSPP Female	2.63
MF08300	1/2" BSPP Female	4.81

Hosetail Plug



Mould Couplings 300 Series - Hosetail - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
MH04300	1/4" Hosetail	1.58
MH05300	5/16" Hosetail	1.58
MH06300	3/8" Hosetail	1.58
MH08300	1/2" Hosetail	2.28

Male Plug



Mould Couplings 300 Series - BSPT Male - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
MA04300	1/4" BSPT Male	1.30
MA06300	3/8" BSPT Male	2.01
MA08300	1/2" BSPT Male	2.95

Blanking Plug



Mould Couplings 300 Series - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate - Plug diameter 0.530" = 13.47mm

Part No.	Description.	Price £
BP300	300 series plug	1.58

Mseal 300



Mould Couplings 300 Series - Interchangeable With: Rectus 87, D-M-E, Foster FJT, Parker Mouldmate

Part No.	Description.	Price £
MSEAL300	Silicone 300 Series Coupler seal	0.94

Mould Couplings - 500 Series

Non-Valved Straight Socket



Mould Couplings 500 Series - Hosetail - Interchangeable With: D-M-E, Foster FJT, Parker Mouldmate

Part No.	Description.	Price £
MCH08500	1/2" Hosetail	17.75
MCH12500	3/4" Hosetail	18.06

Valved Straight Socket



Mould Couplings 500 Series - Hosetail - Interchangeable With: D-M-E, Foster FJT, Parker Mouldmate

Part No.	Description.	Price £
MCHV08500	1/2" Hosetail	31.00
MCHV12500	3/4" Hosetail	31.00

Plug



Mould Couplings 500 Series - BSPT Male & BSPP Female - Interchangeable With: D-M-E, Foster FJT, Parker Mouldmate

Part No.	Description.	Price £
MA08500	1/2" BSPT Male	2.56
MF08500	1/2" BSPP Female	2.56

Hosetail Plug



Mould Couplings 500 Series - Hosetail - Interchangeable With: D-M-E, Foster FJT, Parker Mouldmate

Part No.	Description.	Price £
MH08500	1/2" Hosetail	2.81
MH12500	3/4" Hosetail	3.38

Blanking Plug



Mould Couplings 500 Series - Interchangeable With: D-M-E, Foster FJT, Parker Mouldmate

Part No.	Description.	Price £
BP500	Plug	2.25

Mseal 500



Mould Couplings 500 Series - Interchangeable With: D-M-E, Foster FJT, Parker Mouldmate

Part No.	Description.	Price £
MSEAL500	Silicone	1.88

Mould Series Couplings

Straight Hosetail Non Valved



Mould Series Couplings Hosetail - Interchangeable With: Hasco, Rectus Mould Series - Working Pressure: 0-35bar (500psi) - Temperature Range: -20°C to +200°C

Part No.	Description.	Profile (mm)	Price £
HMCH06/9	3/8" (9mm) Hosetail	9	12.01
HMCH08/13	1/2" (13mm) Hosetail	13	14.98

45° Hosetail Non Valved



Mould Series Couplings Hosetail - Interchangeable With: Hasco, Rectus Mould Series - Working Pressure: 0-35bar (500psi) - Temperature Range: -20°C to +200°C

Part No.	Description.	Profile (mm)	Price £
HMCH0645/9	3/8" (9mm) Hosetail	9	16.52
HMCH0845/13	1/2" (13mm) Hosetail	13	19.02

90° Hosetail Non Valved



Mould Series Couplings Hosetail - Interchangeable With: Hasco, Rectus Mould Series - Working Pressure: 0-35bar (500psi) - Temperature Range: -20°C to +200°C

Part No.	Description.	Profile (mm)	Price £
HMCH0690/9	3/8" (9mm) Hosetail	9	15.59
HMCH0890/13	1/2" (13mm) Hosetail	13	17.92

Straight Hosetail Valved



Mould Series Couplings Hosetail - Interchangeable With: Hasco, Rectus Mould Series - Working Pressure: 0-35bar (500psi) - Temperature Range: -20°C to +200°C

Part No.	Description.	Profile (mm)	Price £
HMCHV06/9	3/8" (9mm) Hosetail	9	14.25
HMCHV08/13	1/2" (13mm) Hosetail	13	18.25

45° Hosetail Valved



Mould Series Couplings Hosetail - Interchangeable With: Hasco, Rectus Mould Series - Working Pressure: 0-35bar (500psi) - Temperature Range: -20°C to +200°C

Part No.	Description.	Profile (mm)	Price £
HMCHV0645/9	3/8" (9mm) Hosetail	9	15.89
HMCHV0845/13	1/2" (13mm) Hosetail	13	18.68

90° Hosetail Valved



Mould Series Couplings Hosetail - Interchangeable With: Hasco, Rectus Mould Series - Working Pressure: 0-35bar (500psi) - Temperature Range: -20°C to +200°C

Part No.	Description.	Profile (mm)	Price £
HMCHV0690/9	3/8" (9mm) Hosetail	9	15.92
HMCHV0890/13	1/2" (13mm) Hosetail	13	22.03

Non Valved Straight Through Plugs Male Thread BSPT



Mould Series Couplings BSPT Male & Hosetail - Interchangeable With: Hasco - Working Pressure: 0-35bar (500psi) - Temperature Range: -20°C to +200°C

Part No.	Description.	Profile (mm)	Price £
HMA02/9	1/8" Male	9	0.97
HMA04/9	1/4" Male	9	1.15
HMA04/13	1/4" Male	13	1.20
HMA06/13	3/8" Male	13	1.25
HMH06/9	3/8" Hosetail	9	1.15
HMH08/13	1/2" Hosetail	13	1.22

Valved Plugs Male Thread BSPT



Mould Series Couplings BSPT Male - Interchangeable With: Hasco - Working Pressure: 0-35bar (500psi) - Temperature Range: -20°C to +200°C

Part No.	Description.	Profile (mm)	Price £
HMAV04/9	1/4" Male	9	5.05
HMAV06/13	3/8" Male	13	5.54

Triple Outlet Connector



Part No.	Description	Price £
GKY	Triple Outlet Connector	9.98

Water Coupling - Brass



Brass - BSPT Male, BSPP Female & Hosetail

Part No.	Description	Price £
GKM08	1/2" BSPT Male	2.35
GKM12	3/4" BSPT Male	2.35
GKM16	1" BSPT Male	2.74
GKM20	1.1/4" BSPT Male	3.39
GKM24	1.1/2" BSPT Male	4.67
GKF08	1/2" BSPP Female	2.63
GKF12	3/4" BSPP Female	3.23
GKF16	1" BSPP Female	3.31
GKF20	1.1/4" BSPP Female	4.00
GKF24	1.1/2" BSPP Female	4.90
GKH08	1/2" Hosetail	1.76
GKH10	5/8" Hosetail	5.91
GKH12	3/4" Hosetail	3.04
GKH16	1" Hosetail	3.36
GKH20	1.1/4" Hosetail	4.29
GKH24	1.1/2" Hosetail	5.79
GKW01	GK Coupler Washer-Brass Coupler/Seal	0.70

Blanking Cap



Part No.	Description	Price £
GKCAP	Blanking Cap	2.13

Safety Claw Couplings



Hosetail - Working Pressure : 100psi - Zinc & Yellow Passivated - Complete with Safety Collar & Seal

Part No.	Description	Price £
CCH06S	3/8" (10mm) Hosetail	2.91
CCH08S	1/2" (12mm) Hosetail	4.25
CCH10S	5/8" (16mm) Hosetail	3.95
CCH12S	3/4" (19mm) Hosetail	3.75
CCH16S	1" (25mm) Hosetail	3.95

Claw Couplings - Steel



Steel - BSPT Male, BSPP Female & Hosetail

Part No.	Description	Price £
CCM06	3/8" BSPT Male	2.85
CCM08	1/2" BSPT Male	2.85
CCM12	3/4" BSPT Male	3.55
CCM16	1" BSPT Male	3.90
CCF06	3/8" BSPP Female	3.00
CCF08	1/2" BSPP Female	3.45
CCF12	3/4" BSPP Female	3.55
CCF16	1" BSPP Female	4.15
CCH06	3/8" Hosetail	3.20
CCH08	1/2" Hosetail	3.20
CCH10	5/8" Hosetail	3.30
CCH12	3/4" Hosetail	3.45
CCH16	1" Hosetail	4.05
CCP01	Blanking Plug	5.35
CCW01	Washer/Seal	0.40

Safety Clamps



Zinc & Yellow Passivated

Part No.	Hose O/D (mm)	Hose O/D (Inch)	Price £
CP21/25S	21-25	1/2"	1.96
CP29/33S	29-33	3/4"	3.33
CP35/42S	35-42	1"	3.47

Macdonalds Standard Quick Action Couplings

Macdonald Standard Quick Action Couplings are bayonet style which are used in pairs. A pair comprises a Female and Male Coupling which are connected together by a push and quarter turn. Once connected the spring loaded sleeve of male coupling prevents accidental disconnection. Direction of fluid flow is from Female to Male on all Macdonald Quick Action Couplings - Used on Compressed Air, Nitrogen and Low Pressure Steam Lines in Oil Refineries, Chemical and Industrial Plants to ensure maximum safety of operation. Working Pressure: 50 bar Interchangeability: Any size of styles HF, IF or OF will Connect with any Size of HM, IM or OM within each range. Material: Body: Mild Steel 220m07, Zinc Plated - Sleeve return Spring: Stainless Steel,302S 26/2B.S2056 - Seals: -30°C to +120°C - Nitrile Rubber As Standard.

Coupling-Type OF



BSPT Male Thread

Part No.	Description	Price £
992125	3/8" BSPT Male	26.69
992135	1/2" BSPT Male	19.86
992145	3/4" BSPT Male	19.86
992155	1" BSPT Male	26.69

Plug-Type OM



BSPT Male Thread

Part No.	Description	Price £
992122	3/8" BSPT Male	40.36
992132	1/2" BSPT Male	31.84
992142	3/4" BSPT Male	31.84
992152	1" BSPT Male	40.36

Coupling-Type IF



BSPP & BSPT Female Thread

Part No.	Hose ID	Price £
992126	3/8" BSPP Female	26.69
992136	1/2" BSPP Female	19.86
992146	3/4" BSPT Female	19.86
992156	1" BSPP Female	26.69

Plug-Type IM



BSPP & BSPT Female Thread

Part No.	Description	Price £
992113	1/4" BSPP Female	42.79
992123	3/8" BSPP Female	42.79
992133	1/2" BSPP Female	33.80
992143	3/4" BSPT Female	33.80
992153	1" BSPP Female	42.79

Coupling-Type HF



Hosetail

Part No.	Description	Price £
992105	1/2" (12mm) Hosetail	19.86
992107	3/4" (19mm) Hosetail	19.86
992109	1" (25mm) Hosetail	26.69

Plug-Type HM



Hosetail

Part No.	Hose I/D	Price £
992121	3/8" (10mm) Hosetail	42.79
992106	1/2" (12mm) Hosetail	33.80
992108	3/4" (19mm) Hosetail	33.80
992110	1" (25mm) Hosetail	42.79



Section 11

Malleable Iron Fittings

Hydraulic Quick Release Couplings

ISO-A Couplings



Hydraulic Quick Release Coupling - BSPP Female Thread - Features: Temperature Range: -20°C to +100°C - Max Working Pressure: Safety Factor =1:4 - Static Pressure: Safety Factor =1:2 - ISO.A is smaller compared to ISO.B easier to connect and release poppet valve is used to minimise the pressure drop characteristics and provide positive sealing arrangements positive quick connection ensured by the snap together locking ball system Withstand high Pressure peaks and pulses seals have shock proof protective edges balanced spring and calibrated oil flow passages to minimise the pressure drop when connected the male and female halves can rotate even under pressure, thus avoiding any torsional stress in the flexible hoses suited to heavy industrial and agricultural applications.

Part No.	Size	Pressure bar	Pressure psi	Price £
FISO-A14BSP	1/4"	350	5075	7.70
FISO-A38BSP	3/8"	300	4350	9.25
FISO-A12BSP	1/2"	250	3600	11.24
FISO-A34BSP	3/4"	250	3600	21.64
FISO-A100BSP	1"	230	3300	32.88

ISO-B Carbon Steel Coupling



Hydraulic Quick Release Coupling - BSPP Female Thread - Features: Poppet valve types to ISO 7241 Series B - Positive quick connection is ensured by the snap together locking ball system - Able to withstand high pressure peaks and pulses - Seals have shock proof protective edges - Balanced Spring and Calibrated Oil flow passages to minimise pressure drop - Suited to heavy industrial applications Including: Food processing and Manufacture, Shipbuilding, Offshore, Machine Tool/Automation, Oil Refineries, Steel Mills, Chemicals and Pharmaceuticals.

Part No.	Size	Pressure bar	Pressure psi	Price £
FISO-B18BSP	1/8"	350	5075	13.78
FISO-B14BSP	1/4"	300	4350	13.78
FISO-B38BSP	3/8"	250	3600	15.30
FISO-B12BSP	1/2"	250	3600	19.40
FISO-B34BSP	3/4"	230	3300	34.41
FISO-B100BSP	1"	230	3300	52.92

ISO-A Plug



Hydraulic Quick Release Coupling - BSPP Female Thread - Features: Temperature Range: -20°C to +100°C - Max Working Pressure: Safety Factor =1:4 - Static Pressure: Safety Factor =1:2 - ISO.A is smaller compared to ISO.B easier to connect and release poppet valve is used to minimise the pressure drop characteristics and provide positive sealing arrangements positive quick connection ensured by the snap together locking ball system Withstand high Pressure peaks and pulses seals have shock proof protective edges balanced spring and calibrated oil flow passages to minimise the pressure drop when connected the male and female halves can rotate even under pressure, thus avoiding any torsional stress in the flexible hoses suited to heavy industrial and agricultural applications.

Part No.	Size	Pressure bar	Pressure psi	Price £
MISO-A14BSP	1/4"	350	5075	3.24
MISO-A38BSP	3/8"	300	4350	4.06
MISO-A12BSP	1/2"	250	3600	4.38
MISO-A34BSP	3/4"	250	3600	8.99
MISO-A100BSP	1"	230	3300	13.31

ISO-B Carbon Steel Plugs



Hydraulic Quick Release Coupling - BSPP Female Thread - Features: Poppet valve types to ISO 7241 Series B - Positive quick connection is ensured by the snap together locking ball system - Able to withstand high pressure peaks and pulses - Seals have shock proof protective edges - Balanced Spring and Calibrated Oil flow passages to minimise pressure drop - Suited to heavy industrial applications Including: Food processing and Manufacture, Shipbuilding, Offshore, Machine Tool/Automation, Oil Refineries, Steel Mills, Chemicals and Pharmaceuticals.

Part No.	Size	Pressure bar	Pressure psi	Price £
MISO-B18BSP	1/8"	350	5075	6.17
MISO-B14BSP	1/4"	300	4350	6.17
MISO-B38BSP	3/8"	250	3600	6.68
MISO-B12BSP	1/2"	250	3600	7.00
MISO-B34BSP	3/4"	230	3300	18.50
MISO-B100BSP	1"	230	3300	23.65

Premier Range Flat Face Couplings



Hydraulic Quick Release Coupling - Female BSPP Thread - Max Working Pressure: Safety Factor =1:4 - Static Pressure: Safety Factor =1:2

Part No.	Size	Price £
FFIRG14BSP	1/4"	21.38
FFIRG38BSP	3/8"	23.40
FFIRG12BSP	1/2"	23.32
FFIRG12ABSP	1/2"	40.34
FFIRG34BSP	3/4"	40.34
FFIRG100BSP	1"	118.54

Caps - A Coupling



Part No.	Holmbury Ref.	Cap For Plug	Price £
TFB14	00913	1/4"	1.72
TFB38	00915	3/8"	1.93
TF12	00905	1/2"	2.00
TFB34	00917	3/4"	2.26
TFB100	00918F	1"	3.46

Cap - Flat Face and A Coupler



Part No.	Holmbury Ref.	Cap For Coupling	Price £
FP7BCAP	00950	1/4"	2.07
FP9DCAP	00952	3/8" & 1/2" (10)	2.22
FP13DCAP	00954	1/2" (12)	2.54
FP13FCAP	00956	3/4"	2.54
FP17GCAP	00960	1"	4.20

Premier Range Flat Face Plugs



Hydraulic Quick Release Coupling - Female BSPP Thread - Max Working Pressure: Safety Factor =1:4 - Static Pressure: Safety Factor =1:2

Part No.	Size	Price £
MFIRG14BSP	1/4"	12.97
MFIRG38BSP	3/8"	13.22
MFIRG12BSP	1/2"	14.52
MFIRG12ABSP	1/2"	27.24
MFIRG34BSP	3/4"	27.24
MFIRG100BSP	1"	67.06

Plugs - A Coupling



Part No.	Holmbury Ref.	Plug For Coupling	Price £
TMB14	00912	1/4"	1.72
TMB38	00914	3/8"	1.93
TM12	00904	1/2"	2.00
TMB34	00916	3/4"	2.26
TMB100	00918M	1"	3.46

Cap - Flat Face and A Coupler



Part No.	Holmbury Ref.	Cap For Plug	Price £
MD7BCAP	00951	1/4"	2.07
MD9CCAP	00953	3/8" & 1/2" (10)	2.22
MD13DCAP	00957	1/2" (12)	2.54
MD13FCAP	00959	3/4"	2.54
MD17GCAP	00963	1"	4.20

ISO-B Brass Couplings



Hydraulic Quick Release Coupling - Female BSPP Thread - Temperature Range: -20°C to +100°C - Butyl Rubber Seals

Part No.	Size	Price £
BHISO-B02	1/8"	7.25
BHISO-B04	1/4"	7.25
BHISO-B06	3/8"	10.50
BHISO-B08	1/2"	15.12
BHISO-B12	3/4"	26.25
BHISO-B16	1"	37.80

ISO-B Brass Plugs



Hydraulic Quick Release Coupling - Female BSPP Thread - Temperature Range: -20°C to +100°C - Butyl Rubber Seals

Part No.	Size	Price £
BHISO-B02P	1/8"	3.57
BHISO-B04P	1/4"	3.57
BHISO-B06P	3/8"	3.89
BHISO-B08P	1/2"	5.95
BHISO-B12P	3/4"	13.25
BHISO-B16P	1"	17.85

ISO-B Stainless Steel Couplings



Hydraulic Quick Release Coupling - Female BSPP Thread - Temperature Range: -20°C to +200°C - Viton Seal

Part No.	Size	Price £
SSHISO-B02	1/8"	17.78
SSHISO-B04	1/4"	26.55
SSHISO-B06	3/8"	34.11
SSHISO-B08	1/2"	42.42
SSHISO-B12	3/4"	67.12
SSHISO-B16	1"	107.36

ISO A Coupling - Steel



Hydraulic Quick Release Coupling - BSPP Female Thread - Temperature Range: -20° to +100° C - Seal: Butyl Rubber - Finish: Zinc Yellow For Corrosion Resistance

Part No.	Size	Price £
HISO-A04	1/4"	4.45
HISO-A06	3/8"	5.56
HISO-A08	1/2"	7.09
HISO-A12	3/4"	9.75
HISO-A16	1"	16.75

ISO-B Stainless Steel Plugs



Hydraulic Quick Release Coupling - Female BSPP Thread - Temperature Range: -20°C to +200°C - Viton Seal

Part No.	Size	Price £
SSHISO-B02P	1/8"	7.78
SSHISO-B04P	1/4"	10.74
SSHISO-B06P	3/8"	14.59
SSHISO-B08P	1/2"	20.69
SSHISO-B12P	3/4"	29.67
SSHISO-B16P	1"	46.99

ISO-A Plug Steel



Hydraulic Quick Release Coupling - BSPP Female Thread - Temperature Range: -20° to +100° C - Seal: Butyl Rubber - Finish: Zinc Yellow For Corrosion Resistance

Part No.	Size	Price £
HISO-A04P	1/4"	1.84
HISO-A06P	3/8"	2.19
HISO-A08P	1/2"	2.89
HISO-A12P	3/4"	4.45
HISO-A16P	1"	7.24

ISO 16028 Coupler - Steel



Hydraulic Quick Release Coupling - BSPP Female Thread - Flat Face & Dry Break Design - Temperature Range: -20° to +100° C - Seal: Butyl Rubber - Finish: Zinc Yellow for corrosion resistance

Part No.	Size	Price £
HISO16028FF04	1/4"	13.31
HISO16028FF06	3/8"	17.44
HISO16028FF08	1/2"	27.65
HISO16028FF12	3/4"	36.45
HISO16028FF16	1"	45.25

ISO 16028 Plug - Steel



Hydraulic Quick Release Coupling - BSPP Female Thread Flat Face & Dry Break Design - Temperature Range: -20° to +100° C - Seal: Butyl Rubber - Finish: Zinc Yellow for corrosion resistance

Part No.	Size	Price £
HISO16028FF04P	1/4"	5.85
HISO16028FF06P	3/8"	7.86
HISO16028FF08P	1/2"	11.81
HISO16028FF12P	3/4"	15.95
HISO16028FF16P	1"	18.35

ISO B Coupling Steel



Hydraulic Quick Release Coupling - BSPP Female Thread - Temperature Range: -20° to +100° C - Seal: Butyl Rubber - Finish: Zinc Yellow for corrosion resistance

Part No.	Size	Price £
HISO-B04	1/4"	9.44
HISO-B06	3/8"	10.14
HISO-B08	1/2"	13.72
HISO-B12	3/4"	19.84
HISO-B16	1"	28.51

ISO-B Plug Steel



Hydraulic Quick Release Coupling - BSPP Female - Temperature Range: -20° to +100° C - Seal: Butyl Rubber - Finish: Zinc Yellow For Corrosion Resistance

Part No.	Size	Price £
HISO-B04P	1/4"	2.05
HISO-B06P	3/8"	2.46
HISO-B08P	1/2"	3.39
HISO-B12P	3/4"	4.88
HISO-B16P	1"	7.19

Accessories
Section 18



Quick Fittings
Section 7

