1/8" BSPT X 40mm Dial - Centre Back Connection

1/8" BSPT X 40mm Dial Centre Back Connection

Part No.	BSPT Thread	Pressure Range (bar)	Pressure Range (psi)	Price £
GC401	1/8"	0-1	0-15	3.63
GC402	1/8"	0-2	0-30	3.63
GC404	1/8"	0-4	0-60	3.63
GC407	1/8"	0-7	0-100	3.63
GC4010	1/8"	0-10	0-160	2.88
GC4014	1/8"	0-14	0-200	3.63

1/8" BSPT X 50mm Dial - Centre Back Connection

1/8" BSPT x 50mm Dial - Centre Back Connection - Steel Case Brass Internals - Phosphorous Bronze Tube - Dual Scale In psi and bar - Class 2.5 Accuracy - Temperature Range: -40°C to +70°C

Part No.	BSPT Thread	Pressure Range (bar)	Pressure Range (psi)	Price £
GC501	1/8"	0-1	0-15	3.63
GC502	1/8"	0-2	0-30	3.63
GC504	1/8"	0-4	0-60	3.63
GC507	1/8"	0-7	0-100	3.63
GC5010	1/8"	0-10	0-160	2.88
GC5014	1/8"	0-14	0-200	3.63
GC5020	1/8"	0-20	0-300	3.63

We have access to a huge range of gauges

Please call the sales office with your requirements

Pneumatic | Hydraulic | Vacuum | Steam

For a range of top quality **accessories** see **section 18**

Gauges, Pressure, Vacuum & Temperature

1/4" BSPT X 50mm Dial - Centre Back Connection

1/4" BSPT x 50mm Dial - Centre Back Connection - Steel Case - Brass Internals - Phosphorous Bronze Tube - Dual Scale In psi and bar - Class 2.5 Accuracy - Temperature Range: -40°C to +70°C

Part No.	BSPT Thread	Pressure Range (bar)	Pressure Range (psi)	Price £
GC501/04	1/4"	0-1	0-15	3.63
GC502/04	1/4"	0-2	0-30	3.63
GC504/04	1/4"	0-4	0-60	3.63
GC507/04	1/4"	0-7	0-100	3.63
GC5010/04	1/4"	0-10	0-160	3.20
GC5014/04	1/4"	0-14	0-200	3.63
GC5020/04	1/4"	0-20	0-300	3.63

27mm Dial Pressure Gauge

Part No.	Description	Price £
GC2710	1/16" BSPT x 0-1 MPA (0-10bar) x 27mm Dial Gauge	4.65

Pressure Gauge - 40mm - 1/8" Bottom Entry Connection

1/8" BSPT X 40mm Dial Bottom Entry Connection

Part No.	BSPT Thread	Pressure Range (bar)	Pressure Range (psi)	Price £
GB401	1/8"	0-1	0-15	3.63
GB402	1/8"	0-2	0-30	3.63
GB404	1/8"	0-4	0-60	3.63
GB407	1/8"	0-7	0-100	3.63
GB4010	1/8"	0-10	0-160	3.63
GB4014	1/8"	0-14	0-200	3.63
GB4020	1/8"	0-20	0-300	3.63

Pressure Gauge - 50mm - 1/8" Bottom Entry Connection

1/8" BSPT x 50mm Dial - Bottom Entry Connection - Steel Case Brass Internals - Phosphorous Bronze Tube - Dual Scale In psi and bar - Class 2.5 Accuracy - Temperature Range: -40°C to +70°C

Part No.	BSPT Thread	Pressure Range (bar)	Pressure Range (psi)	Price £
GB501	1/8"	0-1	0-15	3.63
GB502	1/8"	0-2	0-30	3.63
GB504	1/8"	0-4	0-60	3.63
GB507	1/8"	0-7	0-100	3.63
GB5010	1/8"	0-10	0-160	3.63
GB5014	1/8"	0-14	0-200	3.63
GB5020	1/8"	0-20	0-300	3.63

Pressure Gauge - 50mm - 1/4" Bottom Entry Connection

1/4" BSPT x 50mm Dial - Bottom Entry Connection - Steel Case Brass Internals - Phosphorous Bronze Tube - Dual Scale In psi and bar - Class 2.5 Accuracy - Temperature Range: -40°C to +70°C

Part No.	BSPT Thread	Pressure Range (bar)	Pressure Range (psi)	Price £
GB501/04	1/4"	0-1	0-15	3.63
GB502/04	1/4"	0-2	0-30	3.63
GB504/04	1/4"	0-4	0-60	3.63
GB507/04	1/4"	0-7	0-100	3.63
GB5010/04	1/4"	0-10	0-160	3.20
GB5014/04	1/4"	0-14	0-200	3.63
GB5020/04	1/4"	0-20	0-300	3.63

Gauges, Pressure, Vacuum & Temperature

Glycerine Gauges - Stainless Steel Case - Back Connection

1/4" BSPP x 63mm Dial - Centre Back Connection

Part No.	BSPP Thread	Pressure Range (bar)	Pressure Range (psi)	Price £
GC6301/04	1/4"	0-1	0-15	8.97
GC6302/04	1/4"	0-2	0-30	8.97
GC6304/04	1/4"	0-4	0-60	8.97
GC6306/04	1/4"	0-6	0-100	8.97
GC6310/04	1/4"	0-10	0-150	8.97
GC6320/04	1/4"	0-20	0-300	8.97
GC6325/04	1/4"	0-25	0-400	8.97
GC6340/04	1/4"	0-40	0-600	8.97
GC6360/04	1/4"	0-60	0-1000	8.97
GC63120/04	1/4"	0-120	0-2000	8.97
GC63200/04	1/4"	0-200	0-3000	8.97
GC63250/04	1/4"	0-250	0-4000	8.97
GC63400/04	1/4"	0-400	0-6000	8.97
GC63600/04	1/4"	0-600	0-9000	8.97

Glycerine Gauges - Stainless Steel Case - Bottom Connection

1/4" BSPP x 63mm Dial - Bottom Entry Connection

Part No.	BSPP Thread	Pressure Range (bar)	Pressure Range (psi)	Price £
GB6301/04	1/4"	0-1	0-15	8.97
GB6302/04	1/4"	0-2	0-30	8.97
GB6304/04	1/4"	0-4	0-60	8.97
GB6306/04	1/4"	0-6	0-100	8.97
GB6310/04	1/4"	0-10	0-150	8.97
GB6320/04	1/4"	0-20	0-300	8.97
GB6325/04	1/4"	0-25	0-400	8.97
GB6340/04	1/4"	0-40	0-600	8.97
GB6360/04	1/4"	0-60	0-1000	8.97
GB63120/04	1/4"	0-120	0-2000	8.97
GB63200/04	1/4"	0-200	0-3000	8.97
GB63250/04	1/4"	0-250	0-4000	8.97
GB63400/04	1/4"	0-400	0-6000	8.97
GB63600/04	1/4"	0-600	0-9000	8.97

Many more sizes and pressures available

Please call the sales office with your requirements

Vacuum Gauges - Centre Back Connection

Vacuum Gauges - Centre Back Connection - 30/0” hg & -1/0 bar vacuum

Part No.	Dia	Case	Internals	Connection	Thread	Dry/Gly	Price £
GCV40/02	40mm	Metal	Brass	Back	1/8” BSPT	Dry	2.80
GCV50/02	50mm	Metal	Brass	Back	1/8” BSPT	Dry	3.42
GCV50/04	50mm	Metal	Brass	Back	1/4” BSPT	Dry	3.42
GCV63/04	63mm	S/Steel	Brass	Back	1/4” BSPT	Gly	9.20
GCV100/06	100mm	S/Steel	Brass	Back	3/8” BSPT	Gly	33.60

Vacuum Gauges - Bottom Entry Connection

Vacuum Gauges - Bottom Entry Connection - 30/0” hg & -1/0 bar vacuum

Part No.	Dia	Case	Internals	Connection	Thread	Dry/Gly	Price £
GBV40/02	50mm	Metal	Brass	Bottom	1/8” BSPT	Dry	2.71
GBV50/02	50mm	Metal	Brass	Bottom	1/8” BSP	Dry	3.23
GBV50/04	50mm	Metal	Brass	Bottom	1/4” BSP	Dry	3.23
GBV63/04	60mm	S/Steel	Brass	Bottom	1/4” BSP	Gly	9.20
GBV100/06	100mm	S/Steel	Brass	Bottom	3/8” BSP	Gly	24.71

Panel Mounting Vacuum Gauge - Centre Back Connection

Panel Mounting Vacuum Gauge - Centre Back Connection - Black Steel Case - Stainless Steel Bezel - Brass Internals - Dry-Class 2.5% - C/W Panel Mounting Bracket

Part No.	Dia	Case	Internals	BSPT Male Thread	Dry/Gly	Price £
GCVPM40/02	40mm	Metal	Brass	1/8”	Dry	11.57
GCVPM50/02	50mm	Metal	Brass	1/8”	Dry	12.43

Panel Mounting Pressure Gauge - Centre Back Connection - 40mm Dial

Panel Mounting Gauge - Centre Back Connection - 40mm Dial - Steel Case - Brass Internals

Part No.	Dia	Pressure Range (Bar)	Pressure Range (Psi)	BSPT Male Thread	Price £
GCPM401	40mm	0 - 1	0 - 15	1/8"	11.57
GCPM402	40mm	0 - 2	0 - 30	1/8"	11.57
GCPM404	40mm	0 - 4	0 - 60	1/8"	11.57
GCPM407	40mm	0 - 6	0 - 100	1/8"	11.57
GCPM4010	40mm	0 - 10	0 - 160	1/8"	11.57
GCPM4014	40mm	0 - 14	0 - 200	1/8"	11.57
GCPM4020	40mm	0 - 20	0 - 300	1/8"	11.57

Panel Mounting Pressure Gauge - Centre Back Connection - 50mm Dial

Panel Mounting Gauge - Centre Back Connection - 50mm Dial - Steel Case - Brass Internals

Part No.	Dia	Pressure Range (Bar)	Pressure Range (Psi)	BSPT Male Thread	Price £
GCPM501	50mm	0 - 1	0 - 15	1/8"	12.43
GCPM502	50mm	0 - 2	0 - 30	1/8"	12.43
GCPM504	50mm	0 - 4	0 - 60	1/8"	12.43
GCPM507	50mm	0 - 6	0 - 100	1/8"	12.43
GCPM5010	50mm	0 - 10	0 - 160	1/8"	12.43
GCPM5014	50mm	0 - 14	0 - 200	1/8"	12.43
GCPM5020	50mm	0 - 20	0 - 300	1/8"	12.43

100mm Glycerine Filled Gauge - Bottom & Back Mounting

100mm Diameter - S/Steel Case - Brass Internals - 3/8" BSP Thread - Glycerine Filled - Class 1.6%

Part No.	Connection	Outer Range	Inner Range	Price £
B422A240L	Bottom	0-15 PSI	0-1 BAR	33.60
B422A242L	Bottom	0-30 PSI	0-2 BAR	33.60
B422A244L	Bottom	0-60 PSI	0-4 BAR	33.60
B422A246L	Bottom	0-100 PSI	0-7 BAR	33.60
B422A248L	Bottom	0-160 PSI	0-11 BAR	33.60
B422A252L	Bottom	0-300 PSI	0-20 BAR	33.60
B422A254L	Bottom	0-400 PSI	0-28 BAR	33.60
B422A257L	Bottom	0-600 PSI	0-40 BAR	33.60
B422A262L	Bottom	0-1000 PSI	0-70 BAR	33.60
B422A265L	Bottom	0-2000 PSI	0-140 BAR	33.60
B422A269L	Bottom	0-3000 PSI	0-200 BAR	33.60
B422A271L	Bottom	0-4000 PSI	0-280 BAR	33.60
B422A275L	Bottom	0-6000 PSI	0-400 BAR	33.60
B422A283L	Bottom	0-10000 PSI	0-700 BAR	33.60
B422E240L	Back	0-15 PSI	0-1 BAR	33.60
B422E242L	Back	0-30 PSI	0-2 BAR	33.60
B422E244L	Back	0-60 PSI	0-4 BAR	33.60
B422E246L	Back	0-100 PSI	0-7 BAR	33.60
B422E248L	Back	0-160 PSI	0-11 BAR	33.60
B422E252L	Back	0-300 PSI	0-20 BAR	33.60
B422E254L	Back	0-400 PSI	0-28 BAR	33.60
B422E257L	Back	0-600 PSI	0-40 BAR	33.60
B422E262L	Back	0-1000 PSI	0-70 BAR	33.60
B422E265L	Back	0-2000 PSI	0-140 BAR	33.60
B422E269L	Back	0-3000 PSI	0-200 BAR	33.60
B422E271L	Back	0-4000 PSI	0-280 BAR	33.60
B422E275L	Back	0-6000 PSI	0-400 BAR	33.60
B422E283L	Back	0-10000 PSI	0-700 BAR	33.60

100mm HVAC Pressure Gauge

100mm Diameter - Black Steel Case, S/Steel Bezel - Brass Internals - 3/8" BSP Thread - Dry - Class 1.0%

Part No.	Connection	Outer Range	Inner Range	Price £
B401A340L	Bottom	0-1 BAR	0-15 PSI	20.92
B401A342L	Bottom	0-2 BAR	0-30 PSI	20.92
B401A344L	Bottom	0-4 BAR	0-60 PSI	20.92
B401A346L	Bottom	0-7 BAR	0-100 PSI	20.92
B401A348L	Bottom	0-11 BAR	0-160 PSI	20.92
B401A352L	Bottom	0-20 BAR	0-300 PSI	20.92
B401A354L	Bottom	0-28 BAR	0-400 PSI	20.92

Gauges, Pressure, Vacuum & Temperature

100mm HVAC Temperature Gauge

100mm Diameter - Black Steel Case, S/Steel Bezel - Brass Pocket - 1/2" BSP

Part No.	Connection	Stem Length	Range	Price £
T401A215C	Bottom	10CM	-30/+60ºC+F	45.38
T401A251A	Bottom	5CM	0-120ºC+F	42.31
T401A251C	Bottom	10CM	0-120ºC+F	45.38
T401A215A	Bottom	5CM	-30/+60ºC+F	42.31
T401F215A	Back	5CM	-30/+60ºC+F	22.92
T401F215C	Back	10CM	-30/+60ºC+F	26.00
T401F251A	Back	5CM	0-120ºC+F	22.92
T401F251C	Back	10CM	0-120ºC+F	26.00

63mm HVAC Temperature Gauge

63mm Diameter - S/Steel Case - Pipe Mounting Thermometer

Part No.	Connection	Mounting	Range	Price £
S202G151Z	Back	Spring Mtd	0-120ºC+F	17.69

Mild Steel Syphons

Accessories

Part No.	Size	Type	Price £
ACC01581	1/4" BSP	U	6.09
ACC01582	3/8" BSP	U	6.22
ACC01583	1/2" BSP	U	8.46
ACC02081	1/4" BSP	Ring	7.48
ACC02082	3/8" BSP	Ring	7.94
ACC02083	1/2" BSP	Ring	9.35

Brass Gauge Cocks

Accessories

Part No.	Size	Type	Price £
ACC00005	1/4" BSP	F/F	7.88
ACC00006	3/8" BSP	F/F	7.23
ACC00007	1/2" BSP	F/F	8.55
ACC00021	1/4" BSP	M/F	9.20
ACC00022	3/8" BSP	M/F	8.55
ACC00023	1/2" BSP	M/F	9.88